PHILADELPHIA & READING RAILWAY COMPANY AND AFFILIATED LINES

RULES

FOR THE GOVERNMENT

of the

OPERATING DEPARTMENT

TO TAKE EFFECT SEPTEMBER 24, 1922

Issued in accordance with the Standard Code adopted by the American Railway Association

November 17th, 1915

AUTOMATIC BLOCK SYSTEM.

| RIII | - |
|------|---|
| | 5 |

50/ THREE-POSITION-

The following signals will appear where conditions require their use

501 A.A.



INDICATION-STOP; THEN PROCEED. NAME - STOP AND PROCEED-SIGNAL

| BLOCK-SIGN | | TES OF IN | STALLATI | ON. | |
|------------|-------|--------------|----------|-----|------|
| | | | | | |
| * | Signa | al will appe | arwhen- | | |
| | | 74 | | | • |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | 4 | Block is not | clear. | | |
| | | | | | |
| | | | | | * |

501B. INDICATION-APPROACH NEXT NAME-APPROACH 501C. INDICATION-NAME-CLEAR

| × | | |
|--------------------|-----|--|
| | | |
| | | |
| | () | |
| | | |
| | | Block is clear, Second block in advance is not clean |
| | | |
| | | u |
| Signal. | | |
| | | |
| | | |
| | | Two or more blocks are |
| | | clear. |
| | | |
| PROCEED. SIGNAL | | |


| | REQUISITES OF INSTALLATION |
|--|-------------------------------|
| The following signals will appear where conditions equire their use; | Signal will appearwhen- |
| 502AA | |
| | |
| | Block is not clear |
| | |
| INDICATION-STOP; THEN PROCEED. NAME - STOP AND PROCEED SIGNAL. | 3. |
| | , |
| | |
| | |

| 502 C. | | |
|--------|---|-----------------|
| | | - |
| | • | Block is clear. |
| | INDICATION - PROCEED | |
| | INDICATION - PROCEED NAME-CLEAR-SIGNAL | |
| | | |
| | | |
| | | |
| | | |

503


TWO-POSITION

The following signals will appear where conditions require their use 503 J



INDICATION-APPROACH HOME SIGNAL WITH CAUTION
NAME - CAUTION SIGNAL.

503 K



INDICATION-PROCEED. NAME-CLEARSIGNAL.

| | CK SIGNALS. | |
|---|--------------------------------|--------------------------|
| | REQUISITES OF INSTAL | LATION. |
| | | |
| | | |
| | ignal will appear whe | <i>n</i> – |
| | ngiai viii appear viiie | |
| | | |
| | | |
| | | |
| Block to wat along | track is obstructed between di | and home of the |
| DIOCK 13 NOT Clear OF T | rrack is obstructed between al | istant and nome signals. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| *************************************** | | |
| | | , |
| | RI I | |
| | Block is clear. | |
| | Block is clear, | |
| | Block is clear. | |
| | Block is clear. | |
| | Block is clear, | |
| | Block is clear. | |

RULES

504

TWO POSITION HOME AND


The following signals will appear where conditions require their use:

504AA



INDICATION - STOP; THEN PROCEED. NAME - STOP AND PROCEED-SIGNAL.

504B



INDICATION-APPROACH NEXT SIGNAL PREPARED TO STOP NAME-APPROACH-SIGNAL.

| | 5 |
|------------------|--|
| | RULES |
| | |
| DISTANT B | BLOCK SIGNALS |
| | REQUISITES OF INSTALLATION |
| | HEQUISITES OF INSTALLATION |
| | |
| | |
| | |
| | |
| | |
| | Signal will appear when |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | Block is not clear. |
| | BIOCH IS HOI CICO. |
| | |
| | |
| | |
| | |
| | |
| | |
| Sec. 10. 10. 10. | |
| | |
| | * |
| | |
| | |
| | |
| | |
| Blockis | s clear; Second block in advance is not clear. |
| | |
| | |
| | |
| | |
| | |
| | |
| | 8 |
| | |
| | |
| | |
| | |

Two or more blocks are clear.

INDICATION - PROCEED.
NAME - CLEAR SIGNAL.

- 505. Block signals govern the use of the blocks but, unless otherwise provided, do not supersede the superiority of trains; nor dispense with the use or the observance of other signals whenever and wherever they may be required.
- 506. Lights must be used upon all block signals from sunset to sunrise and whenever the signal indications cannot be clearly seen without them.

ENGINEMEN AND TRAINMEN.

- 508. Block signals for a track apply only to trains moving with the current of traffic on that track.
- 509. When a train is stopped by a block signal it may proceed:
- (a) On single track preceded by a flagman to the next signal displaying a proceed indication.
- (b) On two or more tracks at once at slow speed, expecting to find a train in the block, broken rail, obstruction or switch not properly set.
- 510. When a train is stopped by a block signal which is evidently out of order, and not so indicated, the fact must be reported to the Superintendent.
- 511. Both switches of a cross-over must be open before a train starts to make a cross-over movement, and the movement must be completed before either switch is restored to normal position.

RULES.

601

THREE-POSI-


The following signals will appear where conditions require their use;

601A



INDICATION - STOP. NAME - STOP-SIGNAL

6018



INDICATION - APPROACH NEXT SIGNAL PREPARED TO STOP NAME - APPROACH - SIGNAL

RULES.

TION SIGNALS

| For Semi-automatic Signals | For Non-automatic Signals |
|--|---|
| Signal will appear when - | Signal will appear when |
| | |
| Block is not clear. | Route is not set. |
| | |
| | |
| | , |
| Block is clear; second block in advance is not clear. | Route is set; next signal is not clear. |
| | |
| | |


601 C



INDICATION - PROCEED
NAME - CLEAR-SIGNAL.

| Two or more blocks are clear. | Route is set. |
|-------------------------------|---------------|
| | |
| | |
| | |
| | |
| | 3 |
| | 3 |
| | |
| | -25 |
| | |
| 79-25 | a |
| | |
| | |
| | |
| | |


601 F.



INDICATION - PROCEED AT RESTRICTED SPEED NAME-CLEAR-RESTRICTING-SIGNAL

| | w. |
|-------------------------------|--|
| | * |
| | * |
| | |
| | |
| 2 m | |
| | * |
| | |
| Two or more blocks are clear. | Restricted speed route is set. |
| | |
| | |
| | 35 |
| | Action to the second se |

601 G.



INDICATION - PROCEED AT SLOW SPEED PREPARED TO STOP. NAME - SLOW-SPEED-SIGNAL.


| Route is set; track may or may not be occupied. | Slow speed route is set; track may or may not be occupied. |
|--|---|
| | |
| | |

602.

TWO-POSITION-

The following signals will appear where


602A.




INDICATION -NAME-STOP-

| | REQUISITES O | FINSTALLATION. |
|-------------------------------|----------------------------|-----------------------------|
| conditions require their use. | Signal will appear when | Signal will appear when- |
| STOP. SIGNAL. | Block is not clear | Route is not set: |
| | | |
| | | |

602 C.






NAME - CLEAR-


| - | | 18. |
|--------------------|----------------|--------------|
| | 8 | |
| | - | |
| * | | |
| | Block 15 clear | Route is set |
| | | |
| PROCEED SIGNAL. | • | |

602 F.



INDICATION-PROCEED AT
NAME-CLEAR-

602 G




INDICATION-PROCEED AT SLOW

NAME- SLOW-

| RESTRICTED SPEED. RESTRICTING-SIGNAL. | Block is clear Restricted speed route is set |
|---------------------------------------|--|
| SPEED, PREPARED TO STOP SPEED-SIGNAL. | Route is set, Slow speed route is track may or may set; track may or may not be occupied not be occupied |


The following signals will appear where conditions require their use

603 J



INDICATION - APPROACH HOME SIGNAL WITH CAUTION NAME - CAUTION-SIGNAL

603 K



INDICATION - PROCEED NAME-CLEAR-SIGNAL

| | IGNALS. REQUISITES O | F INSTALL | TION | |
|---|-------------------------|----------------|-------|--|
| | | | | |
| | | | | |
| | c. , | •., | , | |
| 2 | Signals R | villappeari | vhen- | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Home sign | nal is not cle | ear. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Home sig | nalis clea | 7. | |
| | | | | |
| | | | | |
| | | | | |