


File 800-45

10.99 DOGS

GRIND TOP DOG	BEVELS OFF	($\frac{1}{32}$ ")	FOR	$1\frac{11}{32}$ "	STROKE
" "	" "	($\frac{3}{64}$ ")	"	$1\frac{5}{16}$ "	"
{ " "	" "	($\frac{3}{64}$ ")	}	$1\frac{9}{16}$ "	"
" BOTTOM "	" "	($\frac{1}{32}$ ")	"		"
{ " TOP "	" "	($\frac{3}{64}$ ")	}	$1\frac{1}{4}$ "	"
" BOTTOM "	" "	($\frac{3}{64}$ ")	"		"



VERS

18

19

20

21

22

23

SPARE
SPACE
JOIST

25

26

27

28

29

30

31

32

33

34

35

36


37


38


39

40

SPARE
LEVER
41







SPARE LEVERS

90

91

92

93

94

95

96

97

98

99

100

SPARE
LEVER
101

102

103

104

105

106

107

SPARE
SPACE
JOIST


109

110

SPARE LEVERS

111

112



BUTT

M

N

O

P

Q

R


S


ADDED WITH C&O CHANGE


OUT WITH C+O Change


SPARE LEVERS

SPARE LEVERS


SPARE
SPACE
J015T







SPARE LEVERS



- ☐ A
- ☐ B
- ☐ C
- ☐ D
- ☐ E
- ☐ F
- ☐ G
- ☐ H
- ☐ I
- ☐ J
- ☐ K
- ☐ L

C. & W. I. R. R.
DOG SHEET-FRONT LOCKING
AT
STATE LINE CROSSING
OFFICE OF SIGNAL ENGINEER
APRIL 28, 1915 NOT TO SCALE
Rev. 10-28-18

Track Plan Drwg No 832.43 Dated DEC. 2, 1946
and Revised
Locking Sheets No 800.43 Dated Oct. 21, 1914
Levers 195 and 202 made spare Nov. 9, 1928

REV:- APRIL 14, 1947
JUNE 27, 1947
1-4 49
54 L 173 UT

REMOVE 129-131 D. S. SW.

— ON
— OFF

FEB. 11-12 52

NOTE:- SPACE "A" WILL NOT ACCOMMODATE SPECIAL DOGS.
USE SPECIALS IN SPACE "L" ONLY WITH BEVELS UP.