3603'
133'
24'
1175'
865'
4400V.
4400V.
SUPPLEMENTARY NEGATI
SEE STD. DRWG. 1200
60+64
34V. LAMP IN MARKER LAMP BODY FOR MOTOR CAR PROTECTION.
CC-384
CC-382
CC-380
6733'
4630'
500 AMP.
R
PILE BRIDGE
PILE BRIDGE
TO TRACK TRANSFORMER
OVERHEAD R.R. CROSSING. B.A.&P. RY.
EMERGENCY SWITCH TYPE SQUARE "D" W.E.CO. MOUNTED ON TELEGRAPH POLE.
WIRED PER STD. DRWG. 1203. EXCEPT AS SHOWN IN DETAIL.
34V. LAMP MOUNTED ON TELEGRAPH POLE FOR MOTOR CAR PROTECTION.
ON 1965-HD.
1965-HD-1
1980-HD.
1965 & 1980 INDR.
1965 HD COM.
1980 HD-1
1965 H-1
1965 & 1980-INDR.
1943 HD-1 COM.
1980 HD-2
1965 & 1980-INDR.

395'
2195'
2701'
686'
VE
4400V.
4400V.
SEE STD. DRWG. 1200
TO TRACK TRANSFORMER
11+92 W
11+97 E
0+00 W
0+00 E
HIGHWAY
CC-378
CC-376
500 AMP.
6209'
PILE BRIDGE
PILE BRIDGE
34V. LAMP IN MARKER LAMP BODY, FOR MOTOR CAR PROTECTION.
WIRED PER STD. DRWG. 1200.
COM.
1965 & 1980 INDR.

WIRED PER STD.
DRWG. 1206.

SWITCHS WIRED PER
STD. DRWGS 1002 & 1045

REVISIONS

1 REDRAWN ACCOUNT OF AUTOMATIC BLOCK SIGNALS RELOCATED AND CIRCUITS CHANGED TO A.F.B. HARLOWTON TO MISSOULA.
A.F.E 44076
SERVICE DATE
7-27-36 H.W.-O.K.-D.W.O.

2 REVISED TO AGREE WITH INSTALLATION OF AFE 44076.
8-29-36 W.H.S.-O.K.-D.W.O.

HARLOWTON TO DEER LODGE

R. M. DIVISION.

AUTOMATIC SIGNAL CIRCUITS

C. M. ST. P. & P. R.R. SIGNAL DEPT.

IN SHEETS SHEET 59