

# NEWS BRIEFS

● ICC has received written comments on its proposed RS&I changes from the Association of American Railroads and the Railway Labor Executives Association. A prehearing conference was held last month and further conferences are scheduled by the AAR, RLEA and ICC technical representatives, with the intention of narrowing the margin of disagreement. It is anticipated that following discussions by the interested parties, the Commission will schedule

a public hearing, probably to be held in Washington sometime in February or March.

● **SERVO vs. GE:** Last month General Electric Co. filed objections with the U.S. District Court in Roanoke, Va., to a special master's report on patent litigation with Servo Corp. of America. The report charged GE with patent infringement and unfair competition in the infrared hotbox detector business.

Specifically, the master concluded:

"1. U.S. Patent No. 2,880,309, herein referred to as the Orientation '39 patent, is valid as to the claims in suit numbered 5, 6, 9, 10 and 11. [The Servo patent described scanner viewing upward and toed in to look at the trailing edge of journal boxes.]

"2. U.S. Reissue Patent No. 24,968 [Servo] herein referred to as the "Slider" 857 patent, is invalid.

"3. United States Patent No. 2,963,575, [Servo] herein referred to as the "Alarm" patent, is valid as to claims in suit numbered 3, 4, 5 and 20.

"4. The manufacture, use, sale, and installation of tie-mounted detectors by the General Electric Co., infringing the above identified claims in U.S. Patents No. 2,880,309, and specifically the sale to the Erie Railroad of a tie-mounted detector, without GE's permission, infringes claims in U.S. Patent No. 2,880,309 and Claim 20 in U.S. Patent No. 2,963,575 and the sales to the Texas & New Orleans and Southern Pacific infringes the claims in both patents.

"5. Defendant, General Electric Co. has competed unfairly with Servo and has been unjustly enriched by gaining access to and utilizing portions of Servo's detailed engineering data in the construction of General Electric Co. tie-mounted detectors, wherefore, Servo is entitled to an accounting for the value of such data.

"6. Defendant, General Electric Co. be enjoined from further acts of infringement.

"7. Defendant's counterclaims for declaratory judgment of invalidity and non-infringement of patents in suit be dismissed as to United States Patent No. 2,880,309 and 2,963,575.


"8. An accounting for damages be had but the determination of increased compensatory damages and attorney fees be postponed until the time of the accounting, to be resolved by the Court."

While the master's report is by no means the final word in this case, informed sources say that it is the basis document upon which the Court will make a decision. Suit was instituted by Servo against GE in August 1959. In March 1961, the Court appointed the Master "... to be present at the pre-trial conference beginning March 29, 1961, ... at the trial of the case and after the conclusion thereof [September 1961] submission of briefs and final arguments, to prepare and file with the Clerk of the Court a report setting forth his findings of fact and conclusions of law as to all matters in controversy."

It is anticipated that after GE files

(Please turn to page 34)

## Standard of Excellence: RAILSEAL® TERMINALS



**RAILSEAL® Terminals** provide a positive seal that eliminates heater failures due to moisture.

A stainless steel outer sheath provides maximum protection to an inner epoxy seal so that all air spaces and dampness are eliminated. Compact and light weight, **RAILSEAL® Terminals** are easily mounted in restricted areas. **Proven in Service!** Recommended for use with **Rails Co. Tubular Electric or Switch Rod Heaters**. Send for Bulletin.



### PREFER GAS HEAT?

**RAIL-TEL Gas Switch Heaters** provide quick heat at interlocking or remote points—with automatic ignition. Operation assured in severest weather with low gas consumption (propane, natural or city gas). Proven in service. Send for Bulletin.

### DID YOU KNOW?

All **Rails Co. Electric & Gas Switch Heaters** may be controlled for fully automatic operation with **Rails Co. Snow Detectors**. For maximum economy, heaters operate only when needed. Descriptive Bulletin available.



The **RAILS** Company

187 Maplewood Ave., Maplewood, N.J.  
Offices: St. Louis, Mo., Chicago, Ill.  
In Canada: The Holden Co. Ltd.

## NEWS BRIEFS

(Continued from page 32)

briefs supporting its objections, there may be further hearings before the Court issues its verdict. This could be carried to a federal court of appeals and finally to the U.S. Supreme Court. Separate hearings are to be held prior to the Court's accounting of the damages to be assessed.

- **NEW YORK's** automatic subway train will continue to operate at least until July 1, 1963. Extension of the experiment, which began on January 4 of this year, was reportedly agreed upon by the New York City Transit Authority and the two companies that installed the automatic equipment—Union Switch & Signal Division of WABCO and General Railway Signal Co. These companies will get \$341,000 if the Transit Authority decides to keep the automatic train at the end of the experimental period; if the experiment is abandoned, the Authority will pay only for installation and removal of the equipment, approximately \$200,000.

- **RADAR** has been proposed as a safety device for permitting safe operation of 150-mph trains on the Tokyo-

Osaka line of the Japanese National Railways. A Y-type surface waveguide installed along the tracks indicates the presence of objects which would be within the clearance zone for safe operation of the train. A warning signal could be transmitted directly to the train or wayside signals could be actuated to a stop aspect. In a test installation the surface wave radar system detected the presence of a man's hand located slightly above the antenna and also indicated the presence of a railroad tie on the track, as well as when it was six inches away from the track.

- **NORTHERN PACIFIC** will spend \$1,407,565 in 1963 for signal and interlocking improvements and \$366,300 for communications improvements, including expansion of microwave facilities and greater use of dispatcher-to-train crew radio.

- **SWEDISH SUBWAYS** in Stockholm will soon be running subway and suburban trains without motormen. Development of a new automatic control system is expected to save \$640,000 annually in wages and \$100,000 in power costs. The new system is expected to replace 160 motormen and also increase the capacity of any given line from 30 to 35 trains per hour. A data processing system receives digital in-

formation on speed, track length, etc. partly from a tachometer on the train and from an induction antenna placed along the track. Information is stored and processed and the output of computer is translated into electric impulses to control the train's movements.

- **FCC** has received proposed findings and conclusions regarding Telpak from interested parties. It is anticipated that the record of the extensive Telpak hearings will be certified to the Commission shortly, following which the Commission will make a decision.

- **ACI** has been on test on the British Railways. An electronic device uses a scattered light method for identifying passing freight cars moving at up to 100 mph. The information is transmitted automatically to a central office. Photoelectric cells at wayside pick up light reflected from code plates mounted on the cars.

- **ALTON & SOUTHERN** is constructing \$5 million automatic retarder classification yard at East St. Louis, Ill.

- **IEEE Winter General Meeting**, to be held January 27-February 1 in New York, will include the following papers of interest to signaling and communications men: "Some Problems Encountered in the Design of Automatic Freight Train Controls," by R. G. M. Andrew, General Railway Signal Co. and "Fundamentals of Infrared Hotbox Detection," by E. G. Menaker, General Electric Co.

- **CANADIAN NATIONAL** has installed direct dialing telephone facilities between regional headquarters in Toronto and other railway offices in southern Ontario. Also included in the direct dialing system will be offices of the Grand Trunk Western in southern Ontario, Michigan, and as far west as Chicago. Direct in-dialing, known as Centrex, will be provided at Toronto, Sarnia and Niagara, Falls, Ont., where calls will be directed to individuals instead of going through a switchboard.

- **ROCK ISLAND** and Panhandle & Santa Fe have received ICC approval to change present remote control to automatic approach clearing of home signals on both railroads at a single track crossing of the two roads at Dumas Jct., near Amarillo, Tex.

- **MONON** and New York Central have received ICC approval to remove a mechanical interlocking at a St. John, Ill., crossing of the two roads and to

(Please turn to page 36)



**Rely on ROHN**  
**for TOWERS, TOWER SYSTEMS, MICROWAVE PASSIVE REFLECTORS, LIGHTING EQUIPMENT and ACCESSORIES**

ROHN is the largest company of its kind exclusively manufacturing communication towers and allied equipment. They can supply a wide range of both guyed and self-supporting towers from all heights up to 800'. They have available engineering and manufacturing facilities for special tower systems and complete engineering and design services. Also ROHN makes microwave passive reflectors and complete tower lighting equipment. So whether it's a single tower or a complete communications system, contact ROHN for dependable and reliable equipment and service.

**ROHN** Manufacturing Company  
Box 2000, Peoria, Illinois • Phone 309-637-8416  
"Pioneer Manufacturers of towers of all kinds—Representatives world-wide"

## NEWS BRIEFS

(Continued from page 34)

arrange for automatic approach clearing of home signals on both roads.

● **NEW YORK CENTRAL** and the Order of Railroad Telegraphers have agreed on a job stabilization plan which maintains the railroad's right to eliminate the jobs of telegraphers without previous union consent. The agreement closely follows the terms of an arbitration case involving the ORT and the Chicago & North Western. Both give the railroads the right to eliminate jobs of telegraphers on 90 days' notice to the union. (For details see Railway Age, Dec. 17, 1962, p 44.)

● **ATLANTIC COAST LINE** has received ICC approval to install a traffic control system between South Florence and Lane, S.C., 45 miles. The installation will provide for either direction operation on alternate sections of one and two main tracks.

● **NEW YORK CENTRAL** has completed installation of 60 miles of CTC between Croton-on-Hudson and Tarrytown, N.Y.

● **SANTA FE** will install microwave in 1963 from Amarillo, Tex., to Winslow, Ariz., 615 miles. This installation will link Kansas City with the West Coast as part of the Santa Fe's basic microwave system.

● **MILWAUKEE ROAD** during 1963 will complete an eight-channel telephone dialing system between Chicago and Minneapolis; install hotbox detectors along the road's mainline between Savanna, Ill., and Council Bluffs, Iowa; and install a 3½-mile extension of CTC near Red Wing, Minn., to permit operation in either direction over both main tracks.

● **UNION PACIFIC** has received ICC approval to install a traffic control system on single main track between Briggs and Hinkle, Ore., 83 miles.

● **ATLANTIC COAST LINE** has ordered signal equipment from Union Switch & Signal for installation of CTC on 85 miles of track between Florence and Charleston, S.C. Control will be from a 12-ft TCC machine at Florence. ACL has also ordered 24 sets of transistorized 2R series radio equipment to be installed on locomotives.

● **PENNSYLVANIA** has received ICC approval to install a traffic control system between Duncannon and Newport, Pa., 14.5 miles.

● **MISSOURI PACIFIC** and AT&SF have received ICC approval to motely control an interlocking at junction of the two roads at Eton, Mo. from an AT&SF traffic control machine at Shopton, Iowa. The interlocking control machine at Eton will be removed.

● **LEHIGH VALLEY** received ICC approval to install a traffic control system between Manville and Phillipsburg, N.J., 42 miles.

● **USSR.** Tests of two trains on a 12½-mile circular subway line in Moscow have been so successful that it has been decided to automate the 40-train system completely.

● **ILLINOIS CENTRAL** signaling construction now under way and in the planning stages involves the following suburban area trackage in Chicago: Van Buren Street—now have signaling for one track outbound and two tracks inbound; will have signaling for afternoon rush hour service of two outbound



No. 1959-AR

No. 1958-AR

## NEW KLEIN Replaceable Gaff Adjustable Climbers

These new Klein Replaceable Gaff Climbers assure maximum quality and safety. We recommend leg irons be replaced after three sets of gaffs have been used.

The easily replaceable gaff is held in position by a self-locking screw. Full impact is absorbed by the gaff and leg iron. No load is transmitted to the screw.

Adjustable to 14½, 15, 15½, 16, 16½, 17, 17½, 18, 18½ and 19 inches. Made in matched pairs, right and left. Available with triangular ring at ankle or riveted ankle loop. Aluminum finish. Every climber individually tested.

### WRITE FOR BULLETIN 559

Bulletin 559, giving full information on Klein Replaceable Gaff Adjustable Climbers, will be sent on request.


### ASK YOUR SUPPLIER

Foreign Distributor: International Standard Electric Corp., New York.



**SIGNAL TAGS**  
Hard Fibre—Aluminum  
And For Other Purposes Too.  
Good Service Promised  
BRYANT MFG. CO., Chicago 22, Ill.  
410 No. Paulina St. Phone 312-733-5482

## MDI HIGH SPEED POLARIZED RELAYS



Small Size  
Rugged Construction Long Life  
Tungsten Carbide Contacts

For use in telegraph and other communication equipment. Life of one billion operations in normal use. Contact resistance to 4,000 ohms. Available with up to four coils, or with contact for low level switching.

**WRITE FOR BROCHURE AND  
EVALUATE FOR YOURSELF.  
MAGNETIC DEVICES, INC**  
Dept. 8, 712 East Street, Frederick, Md

RAILWAY SIGNALING and COMMUNICATION

acks and one inbound track, and for morning rush hour service will have one main track for two inbound tracks and one outbound track. (Inbound is toward Chicago). From 11th street to 51st street, tracks No. 1 and 6 will be removed, leaving four tracks. Signal changes will be made at 11th and 51st streets to accommodate the new track layouts. Kensington to Homewood, 8 miles, will have reverse signaling on track No. 2 and track No. 1 will be signaled for southbound moves. Between Homewood and Kankakee, 32 miles, there will be three tracks. The center track with reverse signaling will remain as is, but one of the other tracks will be removed. The remaining track will be reversed signaled, thus providing for two main tracks with their-direction running on each track.

AAR has asked the FCC for a rule amendment or waiver which would permit railroad radio service microwave system licensees to transmit public telegrams over their microwave facilities. Concerned are roads with Western Union telegraphs agencies, says *Telecommunications Reports*. Also Western Union has filed a statement with the Commission endorsing the request of AAR.

RS&C INDEX for 1962 will be available shortly. Those subscribers who have received the index in past years will continue to do so. All others who desire to have a copy of the 1962 index should write to Circulation Department, Railway Signaling and Communications, Emmett Street, Bristol, Conn.

### Railroad Personnel

**SEABOARD AIR LINE.** Robert B. Waterman named assistant superintendent communications and signals, Richmond, Va., succeeding Clyde Barber, retired. Hugh M. Davis appointed communications and signal engineer, also at Richmond. W. J. Goodwin, assistant supervisor telephones and signals at Richland, Ga., transferred to Savannah, Ga., succeeding C. P. Middleton, deceased. J. B. Lack, assistant to supervisor telephones and signals at Savannah, promoted to succeed Mr. Goodwin at Richland, and in turn has been succeeded by R. W. Beffield. (photos p. 38)

J. W. Powers appointed assistant supervisor telephones and signals at Hampton, N.C. succeeding E. L. Johnson who has been appointed assistant signal construction engineer with headquarters at Richmond, Va.

Mr. Waterman was born in Caracas, Venezuela, and was graduated from Georgia School of Technology in 1933.

He was first employed by the Seaboard as a signal helper and subsequently served in numerous capacities in the communications and signal department. He was made signal engineer in 1946 and held that position at the time of his recent appointment.

Mr. Davis is a native of Winston-Salem, N.C., and attended the University of North Carolina prior to joining the Seaboard in 1944 as a telephone maintainer. He was appointed assistant signal construction engineer in 1951 and assistant superintendent telegraph in 1957.

Mr. Barber, a native of Brighton, Ill., joined the Seaboard in 1926 as a signalman. In 1944 he was placed in charge of construction of the road's centralized traffic control system. He became assistant superintendent communications and signals in 1947.

● **CANADIAN NATIONAL.** H. H. Dofka, assistant signal engineer, Great Lakes region, Toronto, Ont., appointed signal engineer, Mountain region, at Edmonton, Alta., succeeding R. M. McIntosh.

● **PENNSYLVANIA.** C. W. Herrman, assistant supervisor, communications and signals at Columbus, Ohio, transferred in the same capacity to New York. H. C. Rhoades, Jr., named office engineer, communications and signals at Buffalo, N.Y.

● **MILWAUKEE ROAD.** James L. Frohmader appointed supervisor signals and communications, Ottumwa, Ia., succeeding R. C. Dueland, who has retired. Mr. Frohmader started with the Milwaukee Road in 1951 as a signal helper. He was appointed signal draftsman in Chicago on Sept. 1, 1954, and promoted to signal inspector on June 16, 1957, the position he held until his present appointment.

● **NEW YORK CENTRAL.** Prentiss S. Hughel, superintendent of communications, Eastern district, at Syracuse, N.Y., has retired and has been succeeded by Richard L. Straw, communications engineer there.

Mr. Hughel was born at Le Roy, Ill., August 3, 1898. He started with the Cleveland, Cincinnati, Chicago & St. Louis (now New York Central) as a draftsman at Indianapolis in 1919. He was later transferred to Detroit, where he became superintendent of communications in 1947. In January 1954 he was appointed superintendent of communications at Syracuse.

Mr. Straw was born at Milwaukee, Wis., January 29, 1928. After serving in the U.S. Navy during World War II he attended the Milwaukee School of Engineering, from which he was grad-



Prentiss S. Hughel



Richard L. Straw

uated in 1952 with a B.S. degree in electrical engineering. He was then employed by the General Telephone Co. of Wisconsin and in May 1957 became communications engineer of the New York Central at Syracuse.

● **READING.** Ernest L. Rogers, signal supervisor at Reading, Pa., has retired and has been succeeded by J. E. Schweigert.

● **SOUTHERN.** James R. Strickland appointed assistant communications engineer at Washington, D.C., Carey H. Waller, assistant draftsman, promoted to assistant signal and electrical supervisor at Macon, Ga.

● **MONON.** Clarence R. Williams, superintendent signals and communications, has retired. Raymond L. Wyant has been appointed superintendent of signals and will have complete jurisdiction over the signal department. M. L. Qualkenbush, supervisor of communications, will have complete jurisdiction over the communications department. A photograph of Mr. Williams and a biographical sketch of his career appeared in the March 1962 issue of RSC, page 42.

Mr. Wyant was born in Chicago, February 14, 1920. He began his railroad career in 1940 as a signal helper on the Chicago, Rock Island & Pacific, at Chicago. He advanced through various positions at Joliet, Ill., and Colby, Kan., to signal maintainer, leaving that road in 1947 to become assistant signal supervisor of the Monon. In 1953 Mr. Wyant was appointed signal supervisor, the position he held until his recent promotion (photo p. 38).

● **DETROIT, TOLEDO & IRONTON.** F. Robert Crowe, engineer signals and communications appointed assistant superintendent signals and communications. Russell L. Alder, inspector signals and communications appointed supervisor signals and communications. Samuel J. Taylor appointed inspector signals and communications.

● **SANTA FE.** Orrin C. French, signal

(Please turn to page 38)

**NEWS BRIEFS**

(Continued from page 37)

engineer, eastern lines, at Topeka, Kan., appointed superintendent signals, system, at Chicago, succeeding the late **V. O. Smeltzer**. **B. J. Hutton**, assistant signal engineer, eastern lines, has succeeded Mr. French. **Neal W. Thorne**, CTC engineer, Coast Lines, at Los Angeles, named to succeed Mr. Hutton at Topeka.

Born at Newton, Kan., in 1910, Mr. French entered railroad service as a signal helper on the Santa Fe at Amarillo, Tex., in 1927. He resigned to complete his schooling and was graduated from the University of Kansas in 1934. Following two years as associate editor of *Railway Signaling and Communications*, he returned to the Santa Fe at Topeka in 1936 as signal draftsman. Mr. French served in various capacities at Topeka and La Junta, Colo., prior to appointment as assistant signal engineer, eastern lines, in 1948. He was named signal engineer, eastern lines, in 1955.

Mr. Hutton was born at Carbondale, Kan., and began his Santa Fe service in 1941 as a signal helper. Following military service in the Air Force, he finished his college work, receiving a B.S. degree in electrical engineering from Kansas State College in 1948. He returned to the Santa Fe and was appointed assistant engineer at Topeka in 1950 and assistant signal engineer of the eastern lines in 1958.

**Supply Trade News**

● **HAMMARLUND MFG. CO.** **Leo G. Sands** appointed manager industrial marketing.

● **FAIRMONT RAILWAY MOTORS, INC.** **Fred A. Kaup**, New York district manager, appointed Chicago district manager, to replace the late **Charles L. Rager**. **Avon Lane** has been named to succeed Mr. Kaup.

● **WHITNEY BLAKE CO.** **Ernest E. Hilliard** has joined the sales staff with headquarters in Omaha, Neb. He was formerly sales manager for Tele-Wire Supply Co.

● **MICROWAVE SERVICES INTERNATIONAL, INC.**, consultants, engineers and constructors in advanced electronic telecommunications, Denver, N.J., announces two new services: Microwave Interference Coordination provides frequency and beam coordination for site selection of new systems and is available in the private common carrier and government bands. Microwave Interference Protection ensures



**Raymond L. Wyant**



**Herbert E. Reynolds**



**Gene K. Adams**



**L. P. Tracy**



**Orrin C. French**



**B. J. Hutton**



**Hugh M. Davis**



**Robert B. Water**

microwave users that harmful interference will not occur to operating systems from proposed new systems.

● **JAMES G. BIDDLE CO.** Home office has been moved from Philadelphia to a new plant building located at Township Line and Jolly Roads, Plymouth Meeting, Pa.

● **GENERAL CABLE CORP.** **Harold S. Coleman** appointed industry sales manager for mines, railroads and welding.

● **GENERAL RAILWAY SIGNAL CO.** Address of new Canadian office is Royal Bank of Canada Building, Place Ville Marie, Montreal 2, Que.

● **GENERAL ELECTRIC.** **Herbert E. Reynolds** appointed carrier sales manager for communication products department's telecommunication and microwave sales at Lynchburg, Va. Mr. Reynolds was outside sales manager for Lynch Communication Systems, 1954-1960. Next he served as marketing and product manager for carrier and multiplex at Motorola, Inc.

● **OKONITE CO.** **James S. Mitchell** appointed district manager, Milwaukee sales office.

● **RADIO CORP. OF AMERICA.** **Haddon S. Wilson**, manager, microwave project operations, promoted to manager, engineering, of the microwave department.

● **UNION SWITCH & SIGNAL DIVISION**, Westinghouse Air Brake Co. **L. P. Tracy** appointed district manager,

replacing **M. Rex Waller**, recently signed, and **Gene K. Adams** named assistant district manager at Chicago. Mr. Tracy was formerly assistant district manager and Mr. Adams a sales engineer in the Chicago office. **Clarence W. Sooby**, assistant manager transportation research, appointed manager, transportation economics at Swissvale, Pa.

Mr. Tracy was born in Columbus, Ohio, and received a B.S. degree in electrical engineering from Ohio State University in 1932. He was employed by the Pennsylvania from July of that year to 1951, advancing to supervisor communications and signaling. He has been with US&S since that time, starting as a sales engineer in Chicago and in 1956 was appointed assistant district manager.

Mr. Adams was born in Lincoln, Neb., June 7, 1928. He began his career in the signal department of the Burlington in 1944, and attended evening classes at the Illinois Institute of Technology. He became engineer of signal design of the Burlington, but resigned in 1957 to become a sales engineer for the Griswold Signal Co. In 1959 he joined US&S as a sales engineer at Chicago.

● **MOORE ASSOCIATES, INC.** **To Morcott**, formerly with Precision Instrument Co., appointed chief engineer

**Obituary**

● **HARRY E. BRASHARES**, 81, superintendent of signals of the Great Northern from 1938 until his retirement in 1951, died November 26 at St. Paul, Minn.